т	Page	1 to 7
GUJARAT FLUOROCHEMICALS	Issued date	19/10/2016
VALUE THROUGH GREEN CHEMISTRY	Revision	00

SECTION 1: Identification

1.1. Identification	
Product Name	: Ethyl 1,1,2,2-tetrafluoroethyl ether
Synonyms	: NA
Manufacturer/Supplier Name	: M/s GUJARAT FLUOROCHEMICALS LIMITED
Address	: Survey No 16/3, 26, 27, Ranjitnagar Pin-389 380,
	Tal. Ghoghamba, Dist. Panchmahals, Gujarat , India
Business Phone	: +91 – 2678 – 248107, 248152
Business Fax	: +91 – 2678 – 248153
Web Site	: www.gfl.co.in

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (GHS-US)

Flam. Liq. 2 H225 - Highly flammable liquid and vapor Skin Irrit. 2 H315 - Causes skin irritation Eye Irrit. 2A H319 - Causes serious eye irritation STOT SE 3 H335 - May cause respiratory irritation

Full text of H-phrases: see section 16

2.2. Label elements

GHS-US labeling

Hazard pictograms (GHS-US)	
	GHS02 GHS07
Signal word (GHS-US)	: Danger
Hazard statements (GHS-US)	 H225 - Highly flammable liquid and vapor H315 - Causes skin irritation H319 - Causes serious eye irritation H335 - May cause respiratory irritation
Precautionary statements (GHS-US)	 P210 - Keep away from heat/sparks/open flames/hot surfaces. No smoking P23 Keep container tightly closed P24 Ground/bond container and receiving equipment P24 Use explosion-proof electrical/ventilating/lighting equipment P24 Use only non-sparking tools P24 Take precautionary measures against static discharge P26 Avoid breathing fumes, mist, spray, vapors P26 Wash skin thoroughly after handling P27 Use only outdoors or in a well-ventilated area P28 - Wear protective gloves/protective clothing/eye protection/face protection P302+P352 - If on skin: Wash with plenty of soap and water
	P303+P361+P353 - If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing

P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing P312 - Call a POISON CENTER or doctor/physician if you feel unwell P321 - Specific treatment (see supplemental first aid instructions on this label) P332+P313 - If skin irritation occurs: Get medical advice/attention P337+P313 - If eye irritation persists: Get medical advice/attention P362+P364 - Take off contaminated clothing and wash it before reuse

Other hazards 2.3.

No additional information available

Unknown acute toxicity (GHS US) 2.4.

Not applicable

SECTION 3: Composition/information on ingredients

3.1. Substance

Substance type

: Mono-constituent

Name	Product identifier	%	Classification (GHS-US)
Ethyl 1,1,2,2-tetrafluoroethyl ether (Main constituent)	(CAS No) 512-51-6	<= 100	Flam. Liq. 2, H225 Skin Irrit. 2, H315 Eye Irrit. 2A, H319
Full text of H-phrases: see section 16			STOT SE 3, H335

3.2. Mixture

Not applicable

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general	In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). Move the affected personnel away from the contaminated area. Remove person to fresh air and keep comfortable for breathing. If not breathing, give artificial respiration. Get medical advice/attention.	
First-aid measures after inhalation		
First-aid measures after skin	: Wash with plenty of soap and water. Get medical advice/attention.	
contact First-aid measures after eye contact	: Immediately flush eyes thoroughly with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical advice/attention.	
First-aid measures after ingestion person. Rinse	: Do NOT induce vomiting. Never give anything by mouth to an unconscious	
	mouth out with water. Get medical advice/attention.	

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries

: The most important known symptoms and effects are described in the labelling (see section2.2) and/or in section 11.

Indication of any immediate medical attention and special treatment needed 4.3.

Treat symptomatically.

SECTION 5: Firefighting measures

Extinguishing media 5.1.

Suitable extinguishing media : Alcohol resistant foam. Carbon dioxide. Dry powder. Water spray. Use extinguishing mediaappropriate for surrounding fire.

protection"

5.2. Special hazards arising from the substance or mixture

Fire hazard	: Thermal decomposition generates: Carbon oxides. Hydrogen fluoride.	
Explosion hazard	: Risk of explosion if heated under confinement. Use water spray or fog for cooling	
exposed	containers. May form flammable/explosive vapor-air mixture.	
5.3. Advice for firefighters		
Firefighting instructions	: In case of fire: Evacuate area. Fight fire remotely due to the risk of explosion. Wear gas tight chemically protective clothing in combination with self contained	
Protection during firefighting	: breathing	

apparatus. For further information refer to section 8: "Exposure controls/personal

OFOTI		
6.1.	ON 6: Accidental release me	easures otective equipment and emergency procedures
	al measures	: Evacuate unnecessary personnel. Ensure adequate air ventilation. Do not breathe gas, fumes,
6.1.1.	For non-emergency personnel	vapor or spray.
Emerg	ency procedures	: Only qualified personnel equipped with suitable protective equipment may intervene.
6.1.2.	For emergency responder	rs
Protect	tive equipment	Do not attempt to take action without suitable protective equipment. For further : information refer to section 8: "Exposure controls/personal protection". : Gas/vapor heavier than air. May accumulate in confined spaces, particularly at or
Emerg	ency procedures	below ground
6.2.	Environmental precaution	IS
Avoid r	release to the environment. No	otify authorities if product enters sewers or public waters.
6.3.	Methods and material for	containment and cleaning up
	ntainment ds for cleaning up	 Stop leak if safe to do so. Dike for recovery or absorb with appropriate material. Take up large spills with pump or vacuum and finish with dry chemical absorbent. Use explosion-proof equipment. Take up small spills with dry chemical absorbent. Sweep or shovel spills into appropriate container for disposal. Ventilate area.
Other i	information	: For disposal of solid materials or residues refer to section 13 : "Disposal considerations".
6.4.	Reference to other section ditional information available	ns
5EC II	ON 7: Handling and storage	
	Precautions for safe hand onal hazards when processed	: Handle empty containers with care because residual vapors are flammable.
Precau ventilation vith skir	utions for safe handling on of the work station. Do not	: Do not handle until all safety precautions have been read and understood. Ensure good breathe fumes, mist, spray, vapors. Wear personal protective equipment. Avoid contact gnition sources (including static discharges). Proper grounding procedures to avoid static
Hygien drink o	ne measures ar	: Handle in accordance with good industrial hygiene and safety procedures. Do not eat,
		smoke when using this product. Always wash hands after handling the product.
7.2.	Conditions for safe storage	ge, including any incompatibilities
	ical measures e conditions	 Comply with applicable regulations. Keep container closed when not in use. Keep away from ignition sources.
Incomp Storag	oatible materials e area	Refer to Section 10 on Incompatible Materials.Store in dry, cool, well-ventilated area.
SECTI	ON 8: Exposure controls/pe	ersonal protection
8.1.	Control parameters	
No ado	ditional information available	
8.2.	Exposure controls	
Approp showe	priate engineering controls	: Ensure good ventilation of the work station. Emergency eye wash fountains and safety
		should be available in the immediate vicinity of any potential exposure.
Hand p	protection	 Protective gloves. 29 CFR 1910.138: Hand Protection. Chemical goggles or safety glasses. Face shield. 29 CFR 1910.133: Eye and Face
Eye pr	otection	
Eye pro Protect	tion.	
Eye pro Protect Skin ar		 Wear suitable protective clothing. In case of inadequate ventilation wear respiratory protection. 29 CFR 1910.134: spiratory Protection.

SECTION 9: Physical and chemical p	roperties
9.1. Information on basic physica	I and chemical properties
Physical state	: Liquid
Color	: No data available
Odor	: No data available
Odor threshold	: No data available
рН	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: 57.5 °C
Flash point Relative evaporation rate (butyl acetate=1)	: -15 °C : No data available
Flammability (solid, gas)	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
Vapor pressure	: No data available
Relative density	: No data available
Relative vapor density at 20 °C	: No data available
Specific gravity / density	: 1.202 g/ml (@ 23 °C)
Molecular mass Solubilit	: 146.08 g/mol
y Log	: No data available
Log Pow	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature Viscosit	: No data available
у	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
9.2. Other information Refractive index	: 1.294 (@ 20 °C)
SECTION 10: Stability and reactivity	
10.1. Reactivity	
No additional information available	
10.2. Chemical stability	
The product is stable at normal handling	-
10.3. Possibility of hazardous read	tions
No additional information available	
10.4. Conditions to avoid	
Keep away from heat, sparks and flame).
10.5. Incompatible materials	
Strong oxidizing agents.	
10.6. Hazardous decomposition pr	
Under normal conditions of storage and products in case of fire, see Section 5.	use, hazardous decomposition products should not be produced. Hazardous decomposition
SECTION 11: Toxicological information	on
11.1. Information on toxicological	effects
Acute toxicity	: Not classified
Skin corrosion/irritation	: Causes skin irritation.
Skin CONOSION/IIII(dliOII	

Skin corrosion/irritation	: Causes skin irritation.
Serious eye damage/irritation	: Causes serious eye Irritation.

Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity Specific target organ toxicity (single exposure)	: Not classified : May cause respiratory irritation.
Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: Not classified
SECTION 12: Ecological information	
12.1. Toxicity	
No additional information available	
12.2. Persistence and degradability	
No additional information available	
12.3. Bioaccumulative potential	
No additional information available	
12.4. Mobility in soil	
No additional information available	
12.5. Other adverse effects	
No additional information available	
SECTION 13: Disposal	
13.1. Waste treatment methods	
Waste treatment methods scrubber.	: Remove to an authorized incinerator equipped with an afterburner and a flue gas
Waste disposal recommendations instructions.	: Dispose of contents/container in accordance with licensed collector's sorting
Additional information	: Recycle the material as far as possible.
SECTION 14: Transport information	
Department of Transportation (DOT)	
In accordance with DOT	
Transport document	: UN3271 Ethers, n.o.s., 3, II
description	: UN3271
UN-No.(DOT)	: Ethers, n.o.s.
Proper Shipping Name (DOT)	: 3 - Class 3 - Flammable and combustible liquid 49 CFR
Transport hazard class(es)	173.120
(DOT) Hazard labels (DOT)	: 3 - Flammable liquid
Packing group (DOT)	: II - Medium Danger
DOT Packaging Non Bulk (49 CFR	: 202
173.xxx) DOT Packaging Bulk (49	: 242
CFR 173.xxx)	

DOT Special Provisions (49 CFR 172.102) DOT Packaging Exceptions (49 CFR	: IB2 - Authorized IBCs: Metal (31A, 31B and 3 Composite (31HZ1). Additional Requirement: Only liquids equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 5 T7 - 4 178.274(d)(2) Normal 178.275(6 TP1 - The maximum degree of filling must not determined by the following: Degree of filling = maximum mean bulk temperature provided the calculated test pressure is 2.65 b hazardous material, as defined in 178.275 of th pressure is 1.5 times the MAWP.	with a vapor pressure less than or 5 C (1.3 bar at 131 F) are authorized. d)(3) exceed the degree of filling 97 / 1 + a (tr - tf) Where: tr is the ar or less based on the MAWP of the	
173.xxx) DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27) DOT Quantity Limitations Cargo aircraft only (49	: 150 : 5 L : 60 L		
CFR 175.75)			
DOT Vessel Stowage Location	 B - (i) The material may be stowed "on deck" on a passenger vessel carrying a number of passe larger of 25 passenger vessels in which the number of pas (k)(2)(i) of this section is exceeded. 	ngers limited to not more than the	
Other information	: No supplementary information available.		
TDG No additional information available			
Transport by sea UN-No. (IMDG) Proper Shipping Name (IMDG) Class (IMDG) Packing group (IMDG)	: 3271 : ETHERS, N.O.S. : 3 - Flammable liquids : II - substances presenting medium danger		
Air transport UN-No. (IATA) Proper Shipping Name (IATA) Class (IATA) Packing group (IATA)	 3271 Ethers, n.o.s. 3 - Flammable Liquids II - Medium Danger 		
SECTION 15: Regulatory information			
15.1. US Federal regulations			
Agency Toxic Substances Control Act (TS			
Ethyl 1,1,2,2-tetrafluoroethyl ether	CAS No 512-51-6	100%	
This product or mixture does not contain a specified in 40 CFR §372.38(a) subject to and Reauthorization Act of 1986 and 40 C	toxic chemical or chemicals in excess of the app the reporting requirements of section 313 of Title FR Part 372.	licable de minimis concentration as III of the Superfund Amendments	
15.2. International regulations			
CANADA No additional information available			
EU-Regulations No additional information available			
National regulations No additional information available			
15.3. US State regulations California Proposition 65 - This product of cause cancer and/or reproductive harm	does not contain any substances known to the sta	ate of California to	

SECTION 16: Other information

Full text of H-phrases:

	Eye Irrit. 2A	Serious eye damage/eye irritation Category 2A
	Flam. Liq. 2	Flammable liquids Category 2
	Skin Irrit. 2	Skin corrosion/irritation Category 2
	STOT SE 3	Specific target organ toxicity (single exposure) Category 3
	H225	Highly flammable liquid and vapor
	H315	Causes skin irritation
	H319	Causes serious eye irritation
	H335	May cause respiratory irritation
r		: 3 - Short exposure could cause serious temporary or residual injury even though prompt medical attention was given.
NFPA fire hazard : 3 - Liquid		: 3 - Liquids and solids that can be ignited under almost all ambient conditions.
NFPA reactivity :		: 0 - Normally stable, even under fire exposure conditions and are not reactive with water.
HMIS I	II Rating	
		 2 Moderate Hazard - Temporary or minor injury may occur * - Chronic (long-term) health effects may result from repeated overexposure
Flamm	ammability : 3 Serious Hazard - Materials capable of ignition under almost all normal temper conditions. Includes flammable liquids with flash points below 73 F and boiling above 100 F. as well as liquids with flash points between 73 F and 100 F. (Classes IB : 0 Minimal Hazard - Materials that are normally stable, even under fire condition	
Physical will		will NOT react with water, polymerize, decompose, condense, or self-react. Non-Explosives.

SDS US (GHS HazCom 2012)

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is offered solely for your consideration, investigation, and verification. It does not represent any guarantee of the properties of the product nor that the hazard precautions or procedures described are the only ones which exist. SynQuest shall not be held liable or any damage resulting from handling or from contact with the above product.